	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	0	(backlight and ((bazel side) same (engage$4 or attach$4) same clamp$4 same cantilever) and (reflect$4 with (top plate)) and ((reflect$4 with (side plate)) with hole)).clm.	US-PGPUB	2005/11/04 13:41

	Type	Hits	Search Text	DBs
1	BRS	422	back light module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	37268	back light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	37268	S2 or S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	299	S4 and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	1	S4 and bezel and ((engagement (structure or elements or bracket or clamp)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	80	S4 and bezel and (reflect$5 with plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	219	S5 not S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	IS&R	1	("6527459").PN.	USPAT
9	BRS	1	("6341898").PN.	US-PGPUB; USPAT; USOCR
10	BRS	0	("6527459").URPN.	USPAT
11	BRS	0	("6527459").URPN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	IS&R	2	("6527459").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	1	("6341898").PN.	US-PGPUB; USPAT; USOCR
14	BRS	0	("6527459").URPN.	USPAT
15	BRS	1	("6341898").PN.	US-PGPUB; USPAT; USOCR
16	BRS	0	("6527459").URPN.	USPAT
17	BRS	65	362/633,634.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	2	hole and protrusion and bazel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	27302	hole and protrusion and slide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	43563	hole and protrusion and slid$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	36494	hole and protrusion and slid$4 and (engag$6 or lock$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	24675	hole and protrusion and slid$4 and (engag$6 or lock$5) and top and side	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	349	hole and protrusion and slid$4 and (engag$6 or lock$5) and top and side and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	442128	slid$6 with (engag$6 or clamp$6 or lock$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	76829	slid$6 with (engag$6 or clamp$6 or lock$6) and (protru$6 and (slit or hole or open$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	602	slid$6 with (engag$6 or clamp$6 or lock$6) and (protru$6 and (slit or hole or open$6)) and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	9	slid$6 with (engag$6 or clamp$6 or lock$6) and (protru$6 and (slit or hole or open$6)) and bezel and (back light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	3357	385/88,92,93,94.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	35	385/88,92,93,94.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	BRS	4	385/88,92,93,94.ccls. and backlight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	1455	385/88,92,93,94.ccls. and reflect$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	782	385/88,92,93,94.ccls. and (protrusion or projection or cantilever)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	575	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	331	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening) and module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	285	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening) and module and (light or lamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	19	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening) and module and (light or lamp) and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	19	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening) and (light or lamp) and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	0	S38 not S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	0	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening) and backlight and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	0	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening) and backlight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	20	385/88,92,93,94.ccls. and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening) and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	1	S42 not S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	187	"349"/$.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	763	"361"/$.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	279	S45 and (protrusion or projection or cantilever) and (aperture or keyhole or slot or opening)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	269	S46 not S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	155	S45 and ((protrusion or projection or cantilever) same (aperture or keyhole or slot or opening) and engag$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	48	S45 and ((protrusion or projection or cantilever) with (aperture or keyhole or slot or opening) with engag$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	107	S48 not S49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	218	"248"/$.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
51	BRS	64	S51 and ((protrusion or projection or cantilever) same (aperture or keyhole or slot or opening) and engag$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	105	"70"/$.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	35	"24"/$.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	139	S53 or S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	31	S55 and ((protrusion or projection or cantilever) same (aperture or keyhole or slot or opening) and engag$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	487	(protrusion or projection or cantilever) with (key hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	142	(protrusion or projection or cantilever) with (key hole) with engag$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	40	S58 and ("362"/$.ccls. or "361"/$.ccls. or "385"/$.ccls. or "349"/$.ccls. or "248"/$.ccls. or "70"/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	BRS	118	S52/$.ccls. and (key hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	0	bezel with sild$6 with (engag$5 or secur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	bezel same sild$6 same (engag$5 or secur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	56	(sild$6 with (engag$5 or secur$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	BRS	391	backlight and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	118	(sild$6 same (engag$5 or secur$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	0	S64 and S65	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	487	(protrusion or projection or cantilever) with (key hole)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	0	S64 and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	216	S64 and (engag$5 or secur$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	IS&R	4	(("5479285") or ("5738020") or ("3636593") or ("6404641")).PN.	USPAT
70	BRS	1	("5333097").PN.	US-PGPUB; USPAT; USOCR
71	BRS	3	("6404641").URPN.	USPAT
72	BRS	22	("3952152" | "4063289" | "4246613" | "4381421" | "4614404" | "4652932" | "4831211" | "4898555" | "4958889" | "4979636" | "5002368" | "5021763" | "5036313" | "5084757" | "5145434" | "5150231" | "5164542" | "5182660" | "5243453" | "5363277" | "5422751" | "5432626").PN.	US-PGPUB; USPAT; USOCR
73	BRS	40	("5479285").URPN.	USPAT
74	BRS	14	("2338754" | "2581481" | "3239988" | "3246440" | "3249973" | "3411262" | "3445979").PN.	US-PGPUB; USPAT; USOCR
75	BRS	6	("3636593").URPN.	USPAT

76	BRS	10	("0007101" | "1634884" | "1718249" | "4858878" | "4893777" | "4938442" | "5513580").PN.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
77	BRS	9	("5738020").URPN.	USPAT
78	BRS	1054	bezel and clamp$5 and (hole or aperture or (key hole) or slot or opening)	USPAT
79	BRS	298	bezel and (clamp$5 with (hole or aperture or (key hole) or slot or opening))	USPAT
80	BRS	490720	("362"/$.ccls. or "361"/$.ccls. or "385"/$.ccls. or "349"/$.ccls. or "248"/$.ccls. or "70"/$ or S52/$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	86	S80 and S81	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	212	S80 not S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	39	S83 and (reflect$5 or backlight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	22	"5570267"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	IS&R	7	(("5570267") or ("6170956") or ("6386722") or ("6502945") or ("6507484") or ("6507377") or ("6762806")).PN.	USPAT
86	BRS	5	("5570267" | "5905550" | "6362860" | "6411359" | "6411504").PN.	US-PGPUB; USPAT; USOCR
87	BRS	2	("6507484").URPN.	USPAT
88	BRS	3	("5729310" | "6108060" | "6154262").PN.	US-PGPUB; USPAT; USOCR
89	BRS	4	("6502945").URPN.	USPAT
90	BRS	1184	349/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	68	"349"/58.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	1184	"349"/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	3487	361/679,683.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	262	361/679,683.ccls. and bezel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	3658	361/679,683.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	1250	"349"/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	3525	385/88,92,93,94.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	84	362/633,634.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	8387	S96 or S97 or S98	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	7791	S100 and @ad < "20040220"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	310	S101 and backlight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB